



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/642,858

08/18/2003

Katherine M. Aldred

3669

7590
Katherine M. Aldred
51 Birch Street
Saugus, MA 01906

07/18/2007

EXAMINER

GEORGE, KONATA M

ART UNIT	PAPER NUMBER
----------	--------------

1616

MAIL DATE	DELIVERY MODE
-----------	---------------

07/18/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/642,858	Applicant(s) ALDRED, KATHERINE M.	
	Examiner Konata M. George	Art Unit 1616	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 April 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 11-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 11-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 18 August 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 1616

DETAILED ACTION

Claims 11-20 are pending in this application.

Action Summary

1. The examiner acknowledges the cancellation of claims 1-10. Therefore, any and all rejections and/or objections directed towards them are hereby withdrawn.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
 2. Ascertaining the differences between the prior art and the claims at issue.
 3. Resolving the level of ordinary skill in the pertinent art.
 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
2. Claims 11-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tawashi (US 5,648,101).

Applicant claims making a transdermal patch comprising providing a drug reservoir layer containing an hematinic substance and applying a layer to a rate-controlling membrane.

Determination of the scope and content of the prior art

(MPEP §2141.01)

Tawashi teaches in example 9, column 10, lines 11-19, a transdermal patch comprising a cellulose matrix impregnated with a ferrous sulfate solution. The patch further contains a backing layer.

Ascertainment of the difference between the prior art and the claims

(MPEP §2141.02)

Tawashi does not teach the patch comprising a rate-controlling membrane.

Finding of prima facie obviousness

Rational and Motivation (MPEP §2142-2143)

Although Tawashi does not teach a rate-controlling membrane applied to the drug reservoir layer, it would have been obvious to one of ordinary skill in the art to do so. The addition of a rate-controlling layer is well known in the art of making transdermal delivery devices as a method of controlling the amount of drug delivered to the skin over a predetermined period of time. Therefore, the addition of a rate-

Art Unit: 1616

controlling layer to the patch of Tawashi would allow a constant delivery of the drug for the time period of not exceeding 1 hour, so that a systemic effect is not produced.

Conclusion

3. Claims 11-20 are rejected.

Art Unit: 1616


Telephone Inquiries

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Konata M. George, whose telephone number is 571-272-0613. The examiner can normally be reached from 8AM to 6:30PM Monday to Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Johann Richter, can be reached at 571-272-0646. The fax phone numbers for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have question on access to the Private Pair system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Konata M. George
Patent Examiner
Technology Center 1600



Johann R. Richter
Supervisory Patent Examiner
Technology Center 1600